

## Poison Center Activity Report 2004

This report is provided as a service of the Maryland Poison Center. If you have additional questions, please contact Bruce D. Anderson, PharmD, DABAT, Director at banderso@rx.umaryland.edu or by phone at 410-563-5580.



This report contains the following subreports containing statistical information on the nature of the calls managed by the Poison Center during the reporting period:

Definitions:

**Patient flow:** refers to where patients were managed (e.g., were they referred to the emergency room, were they managed at home, etc.)

**HCF:** Health Care Facility

**Outcomes:** outcomes have specific definitions.

**Minor** effects involve exposures where some symptoms has occurred, but the symptom(s) are not serious, not life threatening, and resolve quickly with minimal intervention (e.g., nausea, vomiting, skin irritation)

**Moderate** effects involve more serious or long lasting symptoms or effects that require some specific intervention (e.g., vomiting that results in the need for rehydration with IV fluids).

**Major** effects involve serious, life-threatening exposures that require life-saving treatment (e.g., intubation and ventilation) or involve effects that are permanent or disfiguring (e.g., permanent scarring after a caustic exposure).

1. Call by Call Type (including information call sub types).
2. Patient Age Groups by Gender.
3. Patient Flow - Human Exposures - Children 5 and Under.
4. Patient Flow - Human Exposures - Children 6 to 19 Years of Age.
5. Patient Flow - Human Exposures - Adults 20 Years of Older.
6. Reason for Exposure - Human Exposures - All Age Groups
7. Reason for Exposure by Age Groups - Human Exposures.
8. Outcomes by Patient Management Sites.
9. Management Site by Referral Pattern (includes medical outcome evaluation).
10. Medical Outcome (Verified Human Exposures Only).
11. Medical Outcome by Age Group (Verified Human Exposures Only).
12. Incidence by Generic Substance(s) in Children 5 and Under - Top 10 Generic Categories & Top 10 Generic Substances - **Drug Related.**
13. Incidence by Generic Substance(s) in Children 5 and Under - Top 10 Generic Categories & Top 10 Generic Substances - **Non-Drug Related.**
14. Incidence by Generic Substance(s) in Children 6 to 19 Years - Top 10 Generic Categories & Top 10 Generic Substances - **Drug Related.**
15. Incidence by Generic Substance(s) in Children 6 to 19 Years - Top 10 Generic Categories & Top 10 Generic Substances - **Non-Drug Related.**
16. Incidence by Generic Substance(s) in Adults 20 Years and Older - Top 10 Generic Categories & Top 10 Generic Substances - **Drug Related.**
17. Incidence by Generic Substance(s) in Adults 20 Years and Older - Top 10 Generic Categories & Top 10 Generic Substances - **Non-Drug Related.**
18. Routes of Exposure - Human Exposures
19. Treatments provided.

## Counties Included in Report

### Maryland-MD

County	County#/FIP
WORCESTER	24047

Maryland-MD	1
-------------	---

Total Counties:	1
-----------------	---

## Calls by Call Type


<b>Exposures</b>	<b>402</b>	<b>%</b>	<b>49.88</b>
<b>Human Exposures</b>	<b>364</b>	<b>%</b>	<b>45.16</b>
<b>Confirmed Exposure</b>	<b>364</b>	<b>%</b>	<b>45.16</b>
<b>Animal Exposures</b>	<b>38</b>	<b>%</b>	<b>4.71</b>
<b>Confirmed Exposure</b>	<b>38</b>	<b>%</b>	<b>4.71</b>
<b>Information Calls</b>	<b>404</b>	<b>%</b>	<b>50.12</b>
<b>Drug Information</b>	<b>78</b>	<b>%</b>	<b>9.68</b>
5.13%	4		Dosage
1.28%	1		Drug use during breast-feeding
11.54%	9		Drug-drug interactions
10.26%	8		Indications/therapeutic use
1.28%	1		Medication disposal
2.56%	2		Pharmacokinetics
3.85%	3		Pharmacology
1.28%	1		Regulatory
62.82%	49		Other
<b>Drug ID</b>	<b>267</b>	<b>%</b>	<b>33.13</b>
22.85%	61		Public - Drug sometimes involved in abuse
13.48%	36		Public - Drug not known to be abused
2.62%	7		Public - Unknown abuse potential
3.00%	8		Public - Unable to identify
4.87%	13		Health Prof - Drug sometimes involved in abuse
11.99%	32		Health Prof - Drug not known to be abused
2.25%	6		Health Prof - Unable to identify
16.48%	44		Law Enfrmnt - Drug sometimes involved in abuse
8.24%	22		Law Enfrmnt - Drug not known to be abused
2.25%	6		Law Enfrmnt - Unable to identify
11.99%	32		Other
<b>Environmental Info</b>	<b>3</b>	<b>%</b>	<b>0.37</b>
33.33%	1		General questions about contamination of air and/or soil
66.67%	2		Mercury thermometer cleanup
<b>Medical Information</b>	<b>3</b>	<b>%</b>	<b>0.37</b>
33.33%	1		Diagnostic or treatment recommendations for diseases or conditions - non-toxicology
33.33%	1		Sunburn management
33.33%	1		Other
<b>Poison Information</b>	<b>51</b>	<b>%</b>	<b>6.33</b>
3.92%	2		Food preparation/handling practices
29.41%	15		General toxicity
1.96%	1		Plant toxicity
3.92%	2		Safe use of household products
60.78%	31		Other
<b>Prevention/Safety</b>	<b>2</b>	<b>%</b>	<b>0.25</b>
100.00%	2		Poison prevention material requests
<b>Grand Total:</b>	<b>806</b>	<b>%</b>	<b>100.00</b>

## Patient Age & Sex Distribution by Age Groupings

<b>&lt; 12 Months</b>	<b>19</b>	<b>5.220%</b>
Male	8	42.11%
Female	11	57.89%
<b>1 Year</b>	<b>71</b>	<b>19.505%</b>
Male	40	56.34%
Female	31	43.66%
<b>2 Years</b>	<b>62</b>	<b>17.033%</b>
Male	35	56.45%
Female	27	43.55%
<b>3 Years</b>	<b>29</b>	<b>7.967%</b>
Male	15	51.72%
Female	14	48.28%
<b>4 Years</b>	<b>8</b>	<b>2.198%</b>
Male	2	25.00%
Female	6	75.00%
<b>5 Years</b>	<b>12</b>	<b>3.297%</b>
Male	7	58.33%
Female	5	41.67%
<b>Unknown &lt;=5 Years</b>	<b>1</b>	<b>0.275%</b>
Female	1	100.00%
<b>6-12 Years</b>	<b>26</b>	<b>7.143%</b>
Male	10	38.46%
Female	16	61.54%
<b>13-19 Years</b>	<b>15</b>	<b>4.121%</b>
Male	7	46.67%
Female	8	53.33%
<b>20-29 Years</b>	<b>26</b>	<b>7.143%</b>
Male	8	30.77%
Female	17	65.38%
Pregnant	1	3.85%
<b>30-39 Years</b>	<b>26</b>	<b>7.143%</b>
Male	17	65.38%
Female	9	34.62%

<b>40-49 Years</b>	<b>27</b>	<b>7.418%</b>
<b>Male</b>	<b>13</b>	<b>48.15%</b>
<b>Female</b>	<b>14</b>	<b>51.85%</b>
<b>50-59 Years</b>	<b>13</b>	<b>3.571%</b>
<b>Male</b>	<b>4</b>	<b>30.77%</b>
<b>Female</b>	<b>9</b>	<b>69.23%</b>
<b>60-69 Years</b>	<b>14</b>	<b>3.846%</b>
<b>Male</b>	<b>5</b>	<b>35.71%</b>
<b>Female</b>	<b>9</b>	<b>64.29%</b>
<b>70-79 Years</b>	<b>9</b>	<b>2.473%</b>
<b>Male</b>	<b>1</b>	<b>11.11%</b>
<b>Female</b>	<b>8</b>	<b>88.89%</b>
<b>80-89 Years</b>	<b>5</b>	<b>1.374%</b>
<b>Female</b>	<b>5</b>	<b>100.00%</b>
<b>Unknown Adult</b>	<b>1</b>	<b>0.275%</b>
<b>Female</b>	<b>1</b>	<b>100.00%</b>
<b>Grand Total:</b>	<b>364</b>	

# Percentage by Age Categories



## Patient Flow Children 5 Years and Under

			<u>Number</u>	<u>Percentage</u>
<b>Managed on Site (non-HCF)</b>			<u>182</u>	<u>90.10</u>
	Female	85	46.70%	
	Male	97	53.30%	
<b>In/enroute to HCF</b>			<u>9</u>	<u>4.46</u>
Treated/evaluated and released			9	4.46
	Female	3	33.33%	
	Male	6	66.67%	
<b>Referred to HCF</b>			<u>11</u>	<u>5.45</u>
Treated/evaluated and released			6	2.97
	Female	3	50.00%	
	Male	3	50.00%	
Admitted to noncritical care unit			1	0.50
	Male	1	100.00%	
Patient REFUSED referral/NO SHOW			4	1.98
	Female	4	100.00%	
			<u>202</u>	<u>100 %</u>

## Patient Flow Children 6 to 19 Years of Age

			<u>Number</u>	<u>Percentage</u>
<b>Managed on Site (non-HCF)</b>			<u>27</u>	<u>65.85</u>
	Female	17	62.96%	
	Male	10	37.04%	
<b>In/enroute to HCF</b>			<u>7</u>	<u>17.07</u>
Treated/evaluated and released			6	14.63
	Female	3	50.00%	
	Male	3	50.00%	
Admitted to critical care unit			1	2.44
	Female	1	100.00%	
<b>Referred to HCF</b>			<u>5</u>	<u>12.20</u>
Treated/evaluated and released			5	12.20
	Female	3	60.00%	
	Male	2	40.00%	
<b>Other *(code)</b>			<u>2</u>	<u>4.88</u>
	Male	2	100.00%	
			<u>41</u>	<u>100 %</u>

## Patient Flow Adults 20 Years and Older

			<u>Number</u>	<u>Percentage</u>
<b>Managed on Site (non-HCF)</b>			<b><u>65</u></b>	<b><u>53.72</u></b>
Female	39	60.00%		
Male	25	38.46%		
Pregnant	1	1.54%		
<b>In/enroute to HCF</b>			<b><u>38</u></b>	<b><u>31.40</u></b>
<b>Treated/evaluated and released</b>			<b><u>24</u></b>	<b><u>19.83</u></b>
Female	11	45.83%		
Male	13	54.17%		
<b>Admitted to critical care unit</b>			<b><u>8</u></b>	<b><u>6.61</u></b>
Female	5	62.50%		
Male	3	37.50%		
<b>Admitted to noncritical care unit</b>			<b><u>3</u></b>	<b><u>2.48</u></b>
Female	2	66.67%		
Male	1	33.33%		
<b>Admitted to psychiatric facility</b>			<b><u>2</u></b>	<b><u>1.65</u></b>
Female	2	100.00%		
<b>Patient lost to follow-up/left AMA</b>			<b><u>1</u></b>	<b><u>0.83</u></b>
Female	1	100.00%		
<b>Referred to HCF</b>			<b><u>17</u></b>	<b><u>14.05</u></b>
<b>Treated/evaluated and released</b>			<b><u>9</u></b>	<b><u>7.44</u></b>
Female	4	44.44%		
Male	5	55.56%		
<b>Admitted to critical care unit</b>			<b><u>1</u></b>	<b><u>0.83</u></b>
Female	1	100.00%		
<b>Admitted to psychiatric facility</b>			<b><u>3</u></b>	<b><u>2.48</u></b>
Female	3	100.00%		
<b>Patient REFUSED referral/NO SHOW</b>			<b><u>4</u></b>	<b><u>3.31</u></b>
Female	3	75.00%		
Male	1	25.00%		
<b>Other *(code)</b>			<b><u>1</u></b>	<b><u>0.83</u></b>
Female	1	100.00%		
			<b><u>121</u></b>	<b><u>100 %</u></b>

## Reason for Exposure

---

<b>Unintentional</b>	<b>87.91%</b>	<b>320</b>
Unintentional/General	57.97%	211
Unintentional/Environmental	1.92%	7
Unintentional/Occupational	1.37%	5
Unintentional/Therapeutic Error	17.03%	62
Unintentional/Misuse	6.04%	22
Unintentional/Bite or Sting	3.30%	12
Unintentional/Food Poisoning	0.27%	1
<b>Intentional</b>	<b>10.44%</b>	<b>38</b>
Intentional/Suspected Suicide	8.52%	31
Intentional/Misuse	0.55%	2
Intentional/Abuse	1.37%	5
<b>Other</b>	<b>1.65%</b>	<b>6</b>
Adverse Reaction/Food	1.10%	4
Adverse Reaction/Other	0.55%	2
<b>Grand Total:</b>		<b>364</b>

## Reason for Exposure by Age Category

<b>Children 5 years and under</b>	<b>55.49%</b>	<b>202</b>
<b>Unintentional</b>	<b>55.22%</b>	<b>201</b>
Unintentional/General	49.18%	179
Unintentional/Environmental	0.27%	1
Unintentional/Therapeutic Error	4.95%	18
Unintentional/Misuse	0.27%	1
Unintentional/Bite or Sting	0.27%	1
Unintentional/Food Poisoning	0.27%	1
<b>Other Reason</b>	<b>0.27%</b>	<b>1</b>
Adverse Reaction/Food	0.27%	1
<b>Children 6 to 19 years</b>	<b>11.26%</b>	<b>41</b>
<b>Unintentional</b>	<b>9.07%</b>	<b>33</b>
Unintentional/General	5.77%	21
Unintentional/Occupational	0.27%	1
Unintentional/Therapeutic Error	1.65%	6
Unintentional/Misuse	0.82%	3
Unintentional/Bite or Sting	0.55%	2
<b>Intentional</b>	<b>2.20%</b>	<b>8</b>
Intentional/Suspected Suicide	1.37%	5
Intentional/Abuse	0.82%	3
<b>Adults 20 years or older</b>	<b>33.24%</b>	<b>121</b>
<b>Unintentional</b>	<b>23.63%</b>	<b>86</b>
Unintentional/General	3.02%	11
Unintentional/Environmental	1.65%	6
Unintentional/Occupational	1.10%	4
Unintentional/Therapeutic Error	10.44%	38
Unintentional/Misuse	4.95%	18
Unintentional/Bite or Sting	2.47%	9
<b>Intentional</b>	<b>8.24%</b>	<b>30</b>
Intentional/Suspected Suicide	7.14%	26
Intentional/Misuse	0.55%	2
Intentional/Abuse	0.55%	2
<b>Other Reason</b>	<b>1.37%</b>	<b>5</b>
Adverse Reaction/Food	0.82%	3
Adverse Reaction/Other	0.55%	2
<b>Grand Total:</b>		<b>364</b>

## Management Site Including Outcomes - All Human Exposures

		<u>Number</u>	<u>Percentage</u>	<u>% of Group</u>
<b>Managed on site/non-HCF</b>		<b>274</b>	<b>75.27%</b>	
1.46%	No effect	4	1.10%	1.46%
4.74%	Minor effect	13	3.57%	4.74%
0.73%	Moderate effect	2	0.55%	0.73%
33.58%	Judged as nontoxic - expect no effect	92	25.27%	33.58%
57.30%	Minimal clinical effects possible	157	43.13%	57.30%
2.19%	Unrelated - probably not responsible	6	1.65%	2.19%
<b>Managed in HCF</b>		<b>79</b>	<b>21.70%</b>	
<b>Treated/evaluated and released</b>		<b><u>16.21%</u></b>	<b><u>59</u></b>	<b><u>74.68%</u></b>
25.42%	No effect	15	4.12%	18.99%
40.68%	Minor effect	24	6.59%	30.38%
16.95%	Moderate effect	10	2.75%	12.66%
13.56%	Minimal clinical effects possible	8	2.20%	10.13%
3.39%	Unrelated - probably not responsible	2	0.55%	2.53%
<b>Admitted to critical care unit</b>		<b><u>2.75%</u></b>	<b><u>10</u></b>	<b><u>12.66%</u></b>
50.00%	Minor effect	5	1.37%	6.33%
50.00%	Moderate effect	5	1.37%	6.33%
<b>Admitted to noncritical care unit</b>		<b><u>1.10%</u></b>	<b><u>4</u></b>	<b><u>5.06%</u></b>
25.00%	No effect	1	0.27%	1.27%
50.00%	Minor effect	2	0.55%	2.53%
25.00%	Moderate effect	1	0.27%	1.27%
<b>Admitted to psychiatric facility</b>		<b><u>1.37%</u></b>	<b><u>5</u></b>	<b><u>6.33%</u></b>
20.00%	No effect	1	0.27%	1.27%
80.00%	Minor effect	4	1.10%	5.06%
<b>Patient lost to follow-up/left AMA</b>		<b><u>0.27%</u></b>	<b><u>1</u></b>	<b><u>1.27%</u></b>
100.00%	Unable to follow - potentially toxic exposure	1	0.27%	1.27%
<b>Other</b>		<b>3</b>	<b>0.82%</b>	
66.67%	No effect	2	0.55%	66.67%
33.33%	Minimal clinical effects possible	1	0.27%	33.33%
<b>Refused Referral</b>		<b>8</b>	<b>2.20%</b>	
12.50%	No effect	1	0.27%	12.50%
37.50%	Minimal clinical effects possible	3	0.82%	37.50%
50.00%	Unable to follow - potentially toxic exposure	4	1.10%	50.00%
		<b><u>364</u></b>	<b><u>100 %</u></b>	

## Management Site by Referral Pattern by Outcome - Human Exposures

	<u>Number</u>	<u>%Report</u>	<u>Percent Group</u>
<b>Treated/evaluated and released</b>	<b><u>59</u></b>	<b><u>67.8%</u></b>	
<b>In/enroute to HCF</b>	<b>39</b>	<b>44.8%</b>	<b>66.1%</b>
No effect	10	11.5%	25.6%
Minor effect	13	14.9%	33.3%
Moderate effect	8	9.2%	20.5%
Minimal clinical effects possible	7	8.0%	17.9%
Unrelated - probably not responsible	1	1.1%	2.6%
<b>Referred to HCF</b>	<b>20</b>	<b>23.0%</b>	<b>33.9%</b>
No effect	5	5.7%	25.0%
Minor effect	11	12.6%	55.0%
Moderate effect	2	2.3%	10.0%
Minimal clinical effects possible	1	1.1%	5.0%
Unrelated - probably not responsible	1	1.1%	5.0%
<b>Admitted to critical care unit</b>	<b><u>10</u></b>	<b><u>11.5%</u></b>	
<b>In/enroute to HCF</b>	<b>9</b>	<b>10.3%</b>	<b>90.0%</b>
Minor effect	4	4.6%	44.4%
Moderate effect	5	5.7%	55.6%
<b>Referred to HCF</b>	<b>1</b>	<b>1.1%</b>	<b>10.0%</b>
Minor effect	1	1.1%	100.0%
<b>Admitted to noncritical care unit</b>	<b><u>4</u></b>	<b><u>4.6%</u></b>	
<b>In/enroute to HCF</b>	<b>3</b>	<b>3.4%</b>	<b>75.0%</b>
Minor effect	2	2.3%	66.7%
Moderate effect	1	1.1%	33.3%
<b>Referred to HCF</b>	<b>1</b>	<b>1.1%</b>	<b>25.0%</b>
No effect	1	1.1%	100.0%
<b>Admitted to psychiatric facility</b>	<b><u>5</u></b>	<b><u>5.7%</u></b>	
<b>In/enroute to HCF</b>	<b>2</b>	<b>2.3%</b>	<b>40.0%</b>
Minor effect	2	2.3%	100.0%
<b>Referred to HCF</b>	<b>3</b>	<b>3.4%</b>	<b>60.0%</b>
No effect	1	1.1%	33.3%
Minor effect	2	2.3%	66.7%
<b>Patient lost to follow-up/left AMA</b>	<b><u>1</u></b>	<b><u>1.1%</u></b>	
<b>In/enroute to HCF</b>	<b>1</b>	<b>1.1%</b>	<b>100.0%</b>
Unable to follow - potentially toxic exposure	1	1.1%	100.0%

**Patient REFUSED referral/NO SHOW**

	<u>8</u>	<u>9.2%</u>	
<b>Referred to HCF</b>	<b>8</b>	<b>9.2%</b>	<b>100.0%</b>
No effect	1	1.1%	12.5%
Minimal clinical effects possible	3	3.4%	37.5%
Unable to follow - potentially toxic exposure	4	4.6%	50.0%
	<hr/> <b>87</b>	<hr/> <b>100 %</b>	

---

*Visual Dotlab/WBM Software*

## Medical Outcomes

---

	<u>Number</u>	<u>Percentag</u>
No Effect	24	6.59 %
Minor Effect	48	13.19 %
Moderate Effect	18	4.95 %
Not Followed, Judged as Nontoxic Exposure	92	25.27 %
Not Followed - Minimal Clinical Effects Possible	169	46.43 %
Unable to Follow - Potentially Toxic Exposure	5	1.37 %
Unrelated Effect	8	2.20 %
	<hr/>	<hr/>
Total:	<u>364</u>	<u>100 %</u>

---

*Visual Dotlab/WBM Software*

## Medical Outcome by Age Group - Verified Human Exposures

	<u>Number</u>	<u>Percentage</u>	<u>Group %</u>
<b>Children 5 years and under</b>	<b><u>202</u></b>	<b><u>55.49%</u></b>	
No Effect	14	3.846%	6.93%
Minor Effect	10	2.747%	4.95%
Not Followed, Judged as Nontoxic Exposure	70	19.231%	34.65%
Not Followed - Minimal Clinical Effects Possible	105	28.846%	51.98%
Unable to Follow - Potentially Toxic Exposure	1	0.275%	0.50%
Unrelated Effect	2	0.549%	0.99%
<b>Children 6 to 19 years</b>	<b><u>41</u></b>	<b><u>11.26%</u></b>	
No Effect	6	1.648%	14.63%
Minor Effect	7	1.923%	17.07%
Moderate Effect	2	0.549%	4.88%
Not Followed, Judged as Nontoxic Exposure	8	2.198%	19.51%
Not Followed - Minimal Clinical Effects Possible	17	4.670%	41.46%
Unrelated Effect	1	0.275%	2.44%
<b>Adult 20 years or more</b>	<b><u>121</u></b>	<b><u>33.24%</u></b>	
No Effect	4	1.099%	3.31%
Minor Effect	31	8.516%	25.62%
Moderate Effect	16	4.396%	13.22%
Not Followed, Judged as Nontoxic Exposure	14	3.846%	11.57%
Not Followed - Minimal Clinical Effects Possible	47	12.912%	38.84%
Unable to Follow - Potentially Toxic Exposure	4	1.099%	3.31%
Unrelated Effect	5	1.374%	4.13%
<b>Total:</b>	<b><u>364</u></b>	<b><u>100 %</u></b>	

## Incidence by Generic Substance(s) in Children 5 and Under Top 10 Generic Categories & Top 10 Generic Substance(s) Drug Related

### Drug Related Substances

TOPICAL PREPARATIONS			22	21.0%
11.43%	12	DIAPER CARE/RASH PRODUCT		
1.90%	2	CAMPHOR		
1.90%	2	CAMPHOR AND METHYL SALICYLATE		
1.90%	2	METHYL SALICYLATE		
0.95%	1	CALAMINE		
0.95%	1	HYDROGEN PEROXIDE-3%		
0.95%	1	OTHER TOPICAL ANTISEPTIC		
0.95%	1	TOPICAL STEROID		
ANALGESICS			18	17.1%
5.71%	6	IBUPROFEN		
1.90%	2	ACETAMINOPHEN: ADULT FORMULATION		
1.90%	2	ASPIRIN: UNKNOWN IF ADULT OR PEDIATRIC FORMULATION		
1.90%	2	CODEINE		
0.95%	1	ACETAMINOPHEN WITH OTHER DRUG-ADULT FORMULATION		
0.95%	1	ACETAMINOPHEN: PEDIATRIC FORMULATION		
0.95%	1	COX-2 INHIBITOR		
0.95%	1	METHADONE		
0.95%	1	NAPROXEN		
0.95%	1	OTHER/UNKNOWN OPIOID		
ANTIHISTAMINES			8	7.6%
5.71%	6	OTHER ANTIHISTAMINE-ALONE (EXCLUDING COUGH/COLD PREPARATION)		
0.95%	1	CIMETIDINE AND OTHER H2 ANTAGONIST		
0.95%	1	DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC OR RX)		
COLD AND COUGH PREPARATIONS			8	7.6%
3.81%	4	ANTIHISTAMINE/DECON/DEXTROMETHORPHAN/WITHOUT PPA		
0.95%	1	ANTIHISTAMINE/DECON/WITHOUT OPIOID/WITHOUT PPA		
0.95%	1	APAP/DECON/ANTIHISTAMINE/WITHOUT PPA & OPIOID		
0.95%	1	APAP/DECON/ANTIHISTAMINE/WITHOUT PPA/DEXTROMETHORPHAN		
0.95%	1	OTHER DEXTROMETHORPHAN PREPARATION		
ANTIDEPRESSANTS			7	6.7%
6.67%	7	SSRI		
CARDIOVASCULAR DRUGS			6	5.7%
1.90%	2	BETA BLOCKER (INCLUDE PROPRANOLOL)		
0.95%	1	ACE INHIBITOR		
0.95%	1	ANGIOTENSIN RECEPTOR BLOCKER		
0.95%	1	ANTIHYPERTENSIVE		
0.95%	1	VASODILATOR: OTHER		
GASTROINTESTINAL PREPARATIONS			6	5.7%

**Drug Related Substances**

2.86%	3	ANTACID: OTHER		
1.90%	2	LAXATIVE		
0.95%	1	ANTACID: SALICYLATE-CONTAINING		
<b>ELECTROLYTES AND MINERALS</b>			<b>5</b>	<b>4.8%</b>
3.81%	4	FLUORIDE (EXCLUDING VITAMINS, HF & MOUTHWASH)		
0.95%	1	CALCIUM AND CALCIUM SALTS		
<b>VITAMINS</b>			<b>5</b>	<b>4.8%</b>
1.90%	2	MULTI VITAMIN-TABLET: CHILD WITH IRON (NO FLUORIDE)		
0.95%	1	MULTI VITAMIN-TABLET: ADULT WITHOUT IRON OR FLUORIDE		
0.95%	1	MULTI VITAMIN-TABLET: CHILD WITH FLUORIDE (NO IRON)		
0.95%	1	MULTI VITAMIN-TABLET: CHILD WITHOUT IRON OR FLUORIDE		
<b>EYE/EAR/NOSE/THROAT PREPARATIONS</b>			<b>4</b>	<b>3.8%</b>
0.95%	1	CONTACT LENS PRODUCT		
0.95%	1	OPHTHALMIC PREP: OTHER		
0.95%	1	OPHTHALMIC PREP: TETRAHYDROZOLINE		
0.95%	1	STEROIDS - TOPICAL FOR EYE/NOSE/THROAT		
<b>OTHERS</b>			<b>16</b>	<b>15.2%</b>
2.86%	3	LEUKOTRIENE ANTAGONIST/INHIBITOR		
1.90%	2	FUROSEMIDE		
1.90%	2	THYROID PREPARATION (INCLUDING SYNTHETICS AND EXTRACTS)		
1.90%	2	BENZODIAZEPINE		
0.95%	1	PHENYTOIN		
0.95%	1	ANTIBIOTIC: SYSTEMIC (PO, IV, IM) PREPARATION		
0.95%	1	ANTIFUNGAL: SYSTEMIC (PO, IV, IM) PREPARATION		
0.95%	1	ANTIFUNGAL: TOPICAL (DERMAL, OTIC, OPHTHALMIC, NASAL) PREPARATION		
0.95%	1	THIAZIDE		
0.95%	1	ANDROGEN (EXCLUDING DIETARY SUPPLEMENTS)		
0.95%	1	OTHERS AGENTS		
	<b>105</b>	<b>Grand Total</b>		

**Incidence by Generic Substance(s) in Children 5 and Under  
Top 10 Generic Categories & Top 10 Generic Substance(s)  
Non-Drug Related**

**Non-Drug Related Substances**

<b>FOREIGN BODIES/TOYS/MISCELLANEOUS</b>			<b>23</b>	<b>22.5%</b>
9.80%	10	TOY		
5.88%	6	DESICCANT		
2.94%	3	FECES/URINE		
1.96%	2	OTHER FOREIGN BODY		
0.98%	1	SOIL		
0.98%	1	THERMOMETER: OTHER		
<b>COSMETICS/PERSONAL CARE PRODUCTS</b>			<b>18</b>	<b>17.6%</b>
1.96%	2	CREAM/LOTION/MAKE-UP		
1.96%	2	DEODORANT		
1.96%	2	NAIL POLISH		
1.96%	2	NAIL POLISH REMOVER: UNKNOWN		
0.98%	1	BABY OIL		
0.98%	1	BATH OIL/BUBBLE BATH		
0.98%	1	LIPSTICK/BALM, WITHOUT CAMPHOR		
0.98%	1	MOUTHWASH: FLUORIDE CONTAINING		
0.98%	1	NAIL PRODUCT: OTHER		
0.98%	1	OTHER HAIR CARE PRODUCT (EXCLUDING PEROXIDE)		
3.92%	4	OTHERS AGENTS		
<b>CLEANING SUBSTANCES (HOUSEHOLD)</b>			<b>17</b>	<b>16.7%</b>
2.94%	3	BLEACH: HYPOCHLORITE (LIQUID & DRY)		
1.96%	2	AUTOMATIC DISHWASHER DETERGENT: GRANULAR		
1.96%	2	WALL/FLOOR/TILE/ALL-PURPOSE CLEANER: ALKALI		
0.98%	1	AUTOMATIC DISHWASHER DETERGENT: LIQUID		
0.98%	1	AUTOMATIC DISHWASHER DETERGENT: OTHER/UNKNOWN		
0.98%	1	CLEANSER: 'ANIONIC/NONIONIC		
0.98%	1	DISINFECTANT: OTHER/UNKNOWN		
0.98%	1	DISINFECTANT: PINE OIL		
0.98%	1	GLASS CLEANER: ISOPROPANOL		
0.98%	1	MISC. CLEANING AGENT: ISOPROPANOL (EXCLUDING AUTOMOTIVE PRODUCT, GLAS		
2.94%	3	OTHERS AGENTS		
<b>PESTICIDES</b>			<b>6</b>	<b>5.9%</b>
1.96%	2	PYRETHROID		
0.98%	1	GLYPHOSATE		
0.98%	1	LONG-ACTING ANTICOAGULANT RODENTICIDE		
0.98%	1	OTHER HERBICIDE		
0.98%	1	OTHER INSECTICIDE		
<b>ALCOHOLS</b>			<b>4</b>	<b>3.9%</b>
1.96%	2	ETHANOL (NON-BEVERAGE, NON-RUBBING)		
0.98%	1	ISOPROPANOL (EXCLUDING RUBBING ALCOHOLS AND CLEANING SUBSTANCES)		
0.98%	1	RUBBING ALCOHOL: ISOPROPANOL-WITHOUT METHYL SALICYLATE		

Non-Drug Related Substances

ARTS/CRAFTS/OFFICE SUPPLIES			4	3.9%
2.94%	3	PEN/INK		
0.98%	1	OTHER ARTS/CRAFTS/WRITING PRODUCT		
PAINTS AND STRIPPING AGENTS			4	3.9%
3.92%	4	PAINT: WATER BASE (ACRYLIC, LATEX)		
PLANTS			4	3.9%
0.98%	1	PLANT: AMYGDALIN/CYANOGENIC GLYCOSIDE		
0.98%	1	PLANT: DERMATITIS (NON-OXALATE)		
0.98%	1	PLANT: GASTROINTESTINAL IRRITANT (NON-OXALATE)		
0.98%	1	PLANT: OTHER TOXIC		
DEODORIZERS			3	2.9%
1.96%	2	AIR FRESHENER: OTHER/UNKNOWN FORMULATION		
0.98%	1	DEODORIZER: OTHER, NOT FOR PERSONAL USE		
ESSENTIAL OILS			3	2.9%
1.96%	2	OTHER/UNKNOWN ESSENTIAL OIL		
0.98%	1	CINNAMON OIL		
OTHERS			16	15.7%
2.94%	3	QUESTION ABOUT POSSIBLY SPOILED FOOD		
1.96%	2	OTHER NON-DRUG SUBSTANCE		
0.98%	1	JELLYFISH AND OTHER COELENTERATE ENVENOMATION		
0.98%	1	OTHER INSECT BITE/ENVENOMATION		
0.98%	1	CEMENT, CONCRETE (EXCLUDING GLUE)		
0.98%	1	OTHER CHEMICAL		
0.98%	1	FIRE EXTINGUISHER		
0.98%	1	CHLORINE GAS		
0.98%	1	LAMP OIL		
0.98%	1	UNKNOWN MUSHROOM		
2.94%	3	OTHERS AGENTS		
	<b>102</b>	<b>Grand Total</b>		

**Incidence by Generic Substance(s) in Children 6 to 19 Years  
Top 10 Generic Categories & Top 10 Generic Substance(s)  
Drug-Related**

**Drug Related Substances**

Drug Category			Count	Percentage
<b>ANTIDEPRESSANTS</b>			<b>4</b>	<b>16.0%</b>
8.00%	2	SSRI		
4.00%	1	OTHER ANTIDEPRESSANT		
4.00%	1	TRAZODONE		
<b>TOPICAL PREPARATIONS</b>			<b>4</b>	<b>16.0%</b>
4.00%	1	CAMPHOR		
4.00%	1	HYDROGEN PEROXIDE-3%		
4.00%	1	METHYL SALICYLATE		
4.00%	1	TOPICAL STEROID		
<b>ANALGESICS</b>			<b>3</b>	<b>12.0%</b>
4.00%	1	ACETAMINOPHEN WITH HYDROCODONE		
4.00%	1	IBUPROFEN		
4.00%	1	NAPROXEN		
<b>COLD AND COUGH PREPARATIONS</b>			<b>3</b>	<b>12.0%</b>
8.00%	2	ANTIHISTAMINE/DECON/DEXTROMETHORPHAN/WITHOUT PPA		
4.00%	1	ANTIHISTAMINE/DECON/WITHOUT OPIOID/WITHOUT PPA		
<b>DIURETICS</b>			<b>2</b>	<b>8.0%</b>
4.00%	1	OTHER DIURETIC		
4.00%	1	THIAZIDE		
<b>HORMONES AND HORMONE ANTAGONISTS</b>			<b>2</b>	<b>8.0%</b>
4.00%	1	ESTROGEN (EXCLUDING DIETARY SUPPLEMENT)		
4.00%	1	ORAL CONTRACEPTIVE		
<b>SEDATIVE/HYPNOTICS/ANTIPSYCHOTICS</b>			<b>2</b>	<b>8.0%</b>
4.00%	1	ATYPICAL ANTIPSYCHOTIC		
4.00%	1	OTHER TYPE OF SEDATIVE/HYPNOTIC/ANTI-ANXIETY OR ANTI-PSYCHOTIC DRUG		
<b>ANTIHISTAMINES</b>			<b>1</b>	<b>4.0%</b>
4.00%	1	OTHER ANTIHISTAMINE-ALONE (EXCLUDING COUGH/COLD PREPARATION)		
<b>ASTHMA THERAPIES</b>			<b>1</b>	<b>4.0%</b>
4.00%	1	ALBUTEROL		
<b>CARDIOVASCULAR DRUGS</b>			<b>1</b>	<b>4.0%</b>
4.00%	1	BETA BLOCKER (INCLUDE PROPRANOLOL)		
<b>OTHERS</b>			<b>2</b>	<b>8.0%</b>
4.00%	1	OTHER MISCELLANEOUS PRESCRIPTION OR OTC DRUG		
4.00%	1	OTHER (SKELETAL) MUSCLE RELAXANT		
	<b>25</b>	<b>Grand Total</b>		

**Incidence by Generic Substance(s) in Children 6 to 19 Years  
Top 10 Generic Categories & Top 10 Generic Substance(s)  
Non-Drug Related**

**Non-Drug Related Substances**

<b>CLEANING SUBSTANCES (HOUSEHOLD)</b>			<b>4</b>	<b>19.0%</b>
9.52%	2	HAND DISHWASHING DETERGENT: OTHER/UNKNOWN		
9.52%	2	MISC. CLEANING AGENT: ISOPROPANOL (EXCLUDING AUTOMOTIVE PRODUCT, GLAS		
<b>FOREIGN BODIES/TOYS/MISCELLANEOUS</b>			<b>3</b>	<b>14.3%</b>
14.29%	3	TOY		
<b>ADHESIVES/GLUES</b>			<b>2</b>	<b>9.5%</b>
9.52%	2	UNKNOWN TYPE OF ADHESIVE, GLUE, CEMENT OR PASTE		
<b>ARTS/CRAFTS/OFFICE SUPPLIES</b>			<b>2</b>	<b>9.5%</b>
9.52%	2	PEN/INK		
<b>BITES AND ENVENOMATIONS</b>			<b>2</b>	<b>9.5%</b>
4.76%	1	TICK BITE/ENVENOMATION		
4.76%	1	UNKNOWN TYPE OF INSECT OR SPIDER BITE/ENVENOMATION		
<b>COSMETICS/PERSONAL CARE PRODUCTS</b>			<b>2</b>	<b>9.5%</b>
4.76%	1	MOUTHWASH: ETHANOL-CONTAINING		
4.76%	1	SOAP (BAR, HAND OR COMPLEXION)		
<b>FOOD PRODUCTS/FOOD POISONING</b>			<b>2</b>	<b>9.5%</b>
4.76%	1	QUESTION ABOUT FOOD PRODUCT, ADDITIVE OR SUPPLEMENT		
4.76%	1	TETRODOTOXIN		
<b>ALCOHOLS</b>			<b>1</b>	<b>4.8%</b>
4.76%	1	ETHANOL (NON-BEVERAGE, NON-RUBBING)		
<b>HEAVY METALS</b>			<b>1</b>	<b>4.8%</b>
4.76%	1	MERCURY: ELEMENTAL (EXCLUDING THERMOMETER)		
<b>MUSHROOMS</b>			<b>1</b>	<b>4.8%</b>
4.76%	1	MUSHROOM: HALLUCINOGENIC		
<b>OTHERS</b>			<b>1</b>	<b>4.8%</b>
4.76%	1	PYRETHROID		
	<b>21</b>	<b>Grand Total</b>		

**Incidence by Generic Substance(s) in Adults 20 Years and Older  
Top 10 Generic Categories & Top 10 Generic Substance(s)  
Drug-Related**

**Drug Related Substances**

<b>ANALGESICS</b>			<b>16</b>	<b>15.2%</b>
2.86%	3	ACETAMINOPHEN WITH HYDROCODONE		
2.86%	3	IBUPROFEN		
2.86%	3	OTHER TYPE OF NON-STEROIDAL ANTI-INFLAMMATORY DRUG		
1.90%	2	ACETAMINOPHEN: ADULT FORMULATION		
0.95%	1	ACETAMINOPHEN WITH CODEINE		
0.95%	1	ACETAMINOPHEN WITH OTHER DRUG-ADULT FORMULATION		
0.95%	1	ACETAMINOPHEN WITH PROPOXYPHENE		
0.95%	1	APAP/ASA: WITH OTHER INGREDIENT		
0.95%	1	ASPIRIN: UNKNOWN IF ADULT OR PEDIATRIC FORMULATION		
<b>CARDIOVASCULAR DRUGS</b>			<b>16</b>	<b>15.2%</b>
4.76%	5	BETA BLOCKER (INCLUDE PROPRANOLOL)		
1.90%	2	ANTIHYPERLIPIDEMIC		
1.90%	2	CALCIUM ANTAGONIST		
1.90%	2	CLONIDINE		
0.95%	1	ACE INHIBITOR		
0.95%	1	ALPHA BLOCKER		
0.95%	1	ANGIOTENSIN RECEPTOR BLOCKER		
0.95%	1	ANTIHYPERTENSIVE (EXCLUDING DIURETIC)		
0.95%	1	LONG-ACTING NITRATE		
<b>SEDATIVE/HYPNOTICS/ANTIPSYCHOTICS</b>			<b>16</b>	<b>15.2%</b>
6.67%	7	ATYPICAL ANTIPSYCHOTIC		
6.67%	7	BENZODIAZEPINE		
1.90%	2	OTHER TYPE OF SEDATIVE/HYPNOTIC/ANTI-ANXIETY OR ANTI-PSYCHOTIC DRUG		
<b>ANTIDEPRESSANTS</b>			<b>10</b>	<b>9.5%</b>
3.81%	4	SSRI		
2.86%	3	OTHER ANTIDEPRESSANT		
1.90%	2	LITHIUM		
0.95%	1	TRAZODONE		
<b>ANTIHISTAMINES</b>			<b>7</b>	<b>6.7%</b>
2.86%	3	OTHER ANTIHISTAMINE-ALONE (EXCLUDING COUGH/COLD PREPARATION)		
1.90%	2	CIMETIDINE AND OTHER H2 ANTAGONIST		
1.90%	2	DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC OR RX)		
<b>ANTICONVULSANTS</b>			<b>5</b>	<b>4.8%</b>
1.90%	2	OTHER ANTICONVULSANT (EXCLUDING BARBITURATE)		
1.90%	2	VALPROIC ACID		
0.95%	1	CARBAMAZEPINE		
<b>GASTROINTESTINAL PREPARATIONS</b>			<b>5</b>	<b>4.8%</b>
1.90%	2	PROTON PUMP INHIBITOR		
0.95%	1	ANTIDIARRHEAL: DIPHENOXYLATE & ATROPINE		

**Drug Related Substances**

0.95%	1	ANTISPASMODIC: ANTICHOLINERGIC		
0.95%	1	GASTROINTESTINAL PREP: OTHER		
<b>HORMONES AND HORMONE ANTAGONISTS</b>			<b>4</b>	<b>3.8%</b>
1.90%	2	ORAL HYPOGLYCEMIC: SULFONYLUREA		
0.95%	1	ORAL HYPOGLYCEMIC: BIGUANIDE		
0.95%	1	ORAL HYPOGLYCEMIC: THIAZOLIDINEDIONE		
<b>MISCELLANEOUS DRUGS</b>			<b>3</b>	<b>2.9%</b>
2.86%	3	OTHER MISCELLANEOUS PRESCRIPTION OR OTC DRUG		
<b>TOPICAL PREPARATIONS</b>			<b>3</b>	<b>2.9%</b>
0.95%	1	HYDROGEN PEROXIDE-3%		
0.95%	1	OTHER TOPICAL ANTISEPTIC		
0.95%	1	TOPICAL STEROID		
<b>OTHERS</b>			<b>20</b>	<b>19.0%</b>
1.90%	2	ANTIBIOTIC: SYSTEMIC (PO, IV, IM) PREPARATION		
1.90%	2	AMPHETAMINE AND RELATED COMPOUND		
0.95%	1	LOCAL/TOPICAL ANESTHETIC: LIDOCAINE		
0.95%	1	ANTICHOLINERGIC DRUG (EXCLUDING COUGH & COLD PREPARATION & PLANT)		
0.95%	1	OTHER ANTIPLATELET		
0.95%	1	WARFARIN (EXCLUDING RODENTICIDES)		
0.95%	1	ANTINEOPLASTIC DRUG-MISCELLANEOUS		
0.95%	1	ALBUTEROL		
0.95%	1	ANTIHISTAMINE/DECON/WITHOUT OPIOID/WITHOUT PPA		
0.95%	1	APAP/DECON/ANTIHISTAMINE/WITHOUT PPA/DEXTROMETHORPHAN		
7.62%	8	OTHERS AGENTS		
	<b>105</b>	<b>Grand Total</b>		

**Incidence by Generic Substance(s) in Adults 20 Years and Older  
Top 10 Generic Categories & Top 10 Generic Substance(s)  
Non-Drug Related**

**Non-Drug Related Substances**

Category			Count	Percentage
<b>ALCOHOLS</b>			<b>13</b>	<b>20.6%</b>
17.46%	11	ETHANOL (BEVERAGE)		
1.59%	1	ETHANOL (NON-BEVERAGE, NON-RUBBING)		
1.59%	1	RUBBING ALCOHOL: ISOPROPANOL-WITHOUT METHYL SALICYLATE		
<b>CLEANING SUBSTANCES (HOUSEHOLD)</b>			<b>10</b>	<b>15.9%</b>
6.35%	4	BLEACH: HYPOCHLORITE (LIQUID & DRY)		
3.17%	2	RUST REMOVER: OTHER/UNKNOWN		
1.59%	1	LAUNDRY DETERGENT: LIQUID		
1.59%	1	LAUNDRY PRE-WASH: LIQUID SURFACTANT-BASED		
1.59%	1	MISC. CLEANING AGENT: ALKALI		
1.59%	1	SPOT REMOVER/DRY CLEANING AGENT: GLYCOL		
<b>BITES AND ENVENOMATIONS</b>			<b>9</b>	<b>14.3%</b>
3.17%	2	BEE/WASP/HORNET BITE/ENVENOMATION		
3.17%	2	COPPERHEAD ENVENOMATION		
3.17%	2	NON-POISONOUS SNAKE BITE		
3.17%	2	UNKNOWN TYPE OF INSECT OR SPIDER BITE/ENVENOMATION		
1.59%	1	FISH BITE/ENVENOMATION		
<b>HYDROCARBONS</b>			<b>7</b>	<b>11.1%</b>
3.17%	2	GASOLINE		
3.17%	2	OTHER HYDROCARBON		
1.59%	1	DIESEL FUEL		
1.59%	1	FREON/OTHER PROPELLANT		
1.59%	1	LIGHTER FLUID/NAPHTHA		
<b>PESTICIDES</b>			<b>5</b>	<b>7.9%</b>
3.17%	2	UNKNOWN MOTHBALL OR MOTH REPELLENT		
1.59%	1	CHLORINATED HYDROCARBON COMBINED WITH OTHER INSECTICIDE		
1.59%	1	INSECT REPELLENT WITH DEET		
1.59%	1	PYRETHROID		
<b>COSMETICS/PERSONAL CARE PRODUCTS</b>			<b>3</b>	<b>4.8%</b>
1.59%	1	ACRYLIC NAIL ADHESIVE		
1.59%	1	MOUTHWASH: ETHANOL-CONTAINING		
1.59%	1	SHAMPOO		
<b>FOOD PRODUCTS/FOOD POISONING</b>			<b>3</b>	<b>4.8%</b>
4.76%	3	SUSPECTED FOOD POISONING-UNKNOWN TYPE-PATIENT SYMPTOMATIC		
<b>FUMES/GASES/VAPORS</b>			<b>3</b>	<b>4.8%</b>
1.59%	1	CARBON MONOXIDE		
1.59%	1	CHLORINE GAS		
1.59%	1	METHANE AND NATURAL GAS		
<b>AUTOMOTIVE/AIRCRAFT/BOAT PRODUCTS</b>			<b>2</b>	<b>3.2%</b>

**Non-Drug Related Substances**

1.59%	1	AUTOMOTIVE PRODUCT: HYDROCARBON (TRANSMISSION FLUID, POWER STEERING FLUID)
1.59%	1	OTHER TYPE OF AUTOMOTIVE/AIRCRAFT/BOAT PRODUCT

**CHEMICALS**

2

3.2%

1.59%	1	KETONES
1.59%	1	OTHER CHEMICAL

**OTHERS**

6

9.5%

1.59%	1	CAULKING COMPOUND AND CONSTRUCTION PUTTY
1.59%	1	CHARCOAL
1.59%	1	OTHER FOREIGN BODY
1.59%	1	PAINT: 'OIL-BASE
1.59%	1	STRIPPING AGENT: OTHER
1.59%	1	OTHER TYPE OF SWIMMING POOL OR AQUARIUM PRODUCT

**63 Grand Total**

**Routes of Exposure - Human Exposures**

	Number	Percentage
Bite or sting	12	3.15
Dermal exposure	24	6.30
Ingestion	301	79.00
Inhalational	20	5.25
Ocular exposure	23	6.04
Parenteral exposure	1	0.26
<b>GRAND TOTAL:</b>	<b>381</b>	<b>100%</b>

*\*Individual exposures may involve more than one route of exposure*

## Treatments Performed

<b>DECONTAMINATION</b>				<b>323</b>	<b>86.36 %</b>
<b>Cathartic</b>				<b>6</b>	<b>1.60%</b>
PERFORMED - PCC RECOMMENDED	5	1.34	%		
PERFORMED - NOT RECOMMENDED (+NEED)	1	0.27	%		
<b>Dilute/Irrigate/Wash</b>				<b>256</b>	<b>68.45%</b>
PERFORMED - PCC RECOMMENDED	236	63.10	%		
PERFORMED - NOT RECOMMENDED (+NEED)	20	5.35	%		
<b>Food/Snack</b>				<b>11</b>	<b>2.94%</b>
PERFORMED - PCC RECOMMENDED	9	2.41	%		
PERFORMED - NOT RECOMMENDED (+NEED)	2	0.53	%		
<b>Fresh air</b>				<b>12</b>	<b>3.21%</b>
PERFORMED - PCC RECOMMENDED	11	2.94	%		
PERFORMED - NOT RECOMMENDED (+NEED)	1	0.27	%		
<b>Lavage</b>				<b>5</b>	<b>1.34%</b>
PERFORMED - PCC RECOMMENDED	3	0.80	%		
PERFORMED - NOT RECOMMENDED (+NEED)	2	0.53	%		
<b>Emetic, Other</b>				<b>3</b>	<b>0.80%</b>
PERFORMED - PCC RECOMMENDED	2	0.53	%		
PERFORMED - NOT RECOMMENDED (? NEED)	1	0.27	%		
<b>Single Dose Activated Charcoal</b>				<b>29</b>	<b>7.75%</b>
PERFORMED - PCC RECOMMENDED	26	6.95	%		
PERFORMED - NOT RECOMMENDED (+NEED)	3	0.80	%		
<b>Whole bowel irrigation</b>				<b>1</b>	<b>0.27%</b>
PERFORMED - PCC RECOMMENDED	1	0.27	%		
<b>ANTIDOTAL</b>				<b>4</b>	<b>1.07 %</b>
<b>Narcan</b>				<b>4</b>	<b>1.07%</b>
PERFORMED - PCC RECOMMENDED	4	1.07	%		
<b>INTENSIVE CARE</b>				<b>2</b>	<b>0.53 %</b>
<b>Intubation</b>				<b>1</b>	<b>0.27%</b>
PERFORMED - PCC RECOMMENDED	1	0.27	%		
<b>Ventilator</b>				<b>1</b>	<b>0.27%</b>
PERFORMED - PCC RECOMMENDED	1	0.27	%		
<b>GENERAL TREATMENT</b>				<b>45</b>	<b>12.03 %</b>
<b>Alkalinization</b>				<b>1</b>	<b>0.27%</b>
PERFORMED - NOT RECOMMENDED (+NEED)	1	0.27	%		
<b>Antiarrhythmic</b>				<b>1</b>	<b>0.27%</b>
PERFORMED - NOT RECOMMENDED (+NEED)	1	0.27	%		
<b>Antibiotics</b>				<b>7</b>	<b>1.87%</b>
PERFORMED - PCC RECOMMENDED	3	0.80	%		
PERFORMED - NOT RECOMMENDED (+NEED)	4	1.07	%		
<b>Antiemetics</b>				<b>2</b>	<b>0.53%</b>
PERFORMED - NOT RECOMMENDED (+NEED)	2	0.53	%		
<b>Antihistamine</b>				<b>5</b>	<b>1.34%</b>
PERFORMED - PCC RECOMMENDED	4	1.07	%		

